

L 9634-66

ACC NR: AP5027712

ture, which is controlled by platinum-platinorhodium thermocouple 3 and pyrometer 1. Metal container 8 is filled with the test composition, with cone valve 7 in closed position, and maintained at the fixed temperature for 30 min. Thereupon, the outflow time of the electrolyte is measured with the aid of a stopwatch. The electrolyte flowing out of container enters receiver 2 and may be re-used for additional tests. Findings: an increase in the percentile content of Na_2CO_3 considerably reduces electrolyte viscosity. For example a 5% increase in Na_2CO_3 concentration reduces the outflow time of the electrolyte by 1.5 times at 800°C . The dependence of electrolyte viscosity on Na_2CO_3 content is illustrated by Fig. 2, which shows that as the Na_2CO_3 concentration is increased to 30% the viscosity of electrolyte markedly decreases. This makes it possible to reduce boronizing temperature to $800-820^\circ\text{C}$. Thus, a desirable composition of electrolyte for electrochemical boronizing would be: 30% borax, 40% boric oxide, and 30% Na_2CO_3 . Orig. art. has: 3 figures.

SUB CODE: 07, 11, 13/ SUBM DATE: none/ ORIG REF: 005/ OTH REF: 000

Card

GALUSHKO, V.P.; FEDASH, P.M.; VARENKO, Ye.S.

Nature of the acceptor in the electrolytic dissolution of copper
in orthophosphoric acid. Ukr. khim. zhur. 31 no. 11:1214-1219
'65 (MIRA 19:1)

1. Dnepropetrovskiy gosudarstvennyy universitet.

KOVALEVSKAYA, A.N. [Kovalevs'ka, O.M.]; VARENKO, Yu.S.

Variant of *Escherichia coli* with a likeness to pathogenic bacteria of the enteric group; preliminary communication. *Mikrobiol. zhur.* 23 no.5: 22-26 '61. (MIRA 14:12)

1. Stalinskiy meditsinskiy institut.
(*ESCHERICHIA COLI*) (VARIATION (BIOLOGY))

VARENKO, Yu.S.

Studies on changes in the intestinal microflora in experimental
radiation sickness. Med.rad. 6 no.3:48-50 '61. (MIRA 14:5)
(RADIATION SICKNESS) (INTESTINES—MICROBIOLOGY)

VARENKO, Yu. S.

Effect of irradiation of the organism on the pathogenic properties
of Escherichia coli. Mikrobiol. zhur. 24 no.1:8-10 '62.
(MIRA 15:7)

1. Donetskii meditsinskiy institut, kafedra mikrobiologii.

(RADIATION—PHYSIOLOGICAL EFFECT)
(ESCHERICHIA COLI)

VARENKO, Yu.S.

Change in the amount of bacteria in various parts of the gastroin-
testinal tract in white mice following X-ray irradiation. Mikrobiol.
zhur. 24 no.3:12-19 '62. (MIRA 15:8)

1. Donetskii meditsinskiy institut, kafedra mikrobiologii.
(ALIMENTARY CANAL—MICROBIOLOGY)
(X RAYS—PHYSIOLOGICAL EFFECT)

KOVALEVSKAYA, A.N. [Kovalevs'ka, A.M.]; GEONYA, N.I. [Heonia, M.I.];
VARENKO, Yu.S,

Variability of some representatives of the *Salmonella* group
under the influence of human blood plasma. Mikrobiol. zhur.
24. no.4:12-16 '62. (MIRA 16:5)
(SALMONELLA) (BLOOD PLASMA) (VARIATION (BIOLOGY))

KOVALEVSKAYA, A.N.; VARENKO, Yu.S.

Change in the biochemical and serological characteristics of
Escherichia coli cultivated on bile-erythrocyte media. Mikro-
biologiya 32 no.5:797-798 S-0'63 (MIRA 17:2)

1. Meditsinskiy institut, g. Donetsk.

VARENKO, Yu. S. "Changes in Normal Intestinal Microflora in Mice During Experimental Radiation Sickness." Intestinal and typhoid bacilli were more sensitive to endotoxins, which resulted in greater lethality in mice irradiated with 500 r. The antagonistic nature of intestinal bacilli was weakened in irradiated animals.

candidate dissertation listed in Meditsinskaya radiologiya, no. 7, 1964. The article did not state specifically what degree was awarded. The annotated titles deal with studies on radiation physiology, radiation biochemistry, combined trauma and the influence of radiation on regenerative processes, radiation microbiology and immunology, and radiation pharmacology.

VARENKO, Yu.S.

Change in the sensitivity of irradiated mice to Escherichia coli
and Salmonella typhosa endotoxins. Radiobiologiya 4 no.3:424-425
1964. (MIRA 17:11)

1. Donetskii meditsinskii institut imeni Gor'kogo.

VALNIKO, Yu.S.; KOLOMOYTSSEV, L.R.; REVENA, N.S.

Sanitation of the carriers of pathogenic *Staphylococci* in the
obstetric and gynecological clinic of Donetsk. *Mikrobiol. zhur.*
27 no.4:49-51 '65. (XIII 18:8)

1. Donetskii meditsinskiy institut.

VARENNIK, I.P.

Productivity of principal types of subalpine meadows in the northwestern
Caucasus and some problems with regard to their utilization. Biol.
MOIP. Otd. biol. 65 no.5:110-114 8-0 '60. (MIRA 13:12)
(RSEBAY DISTRICT--PASTURES AND MEADOWS)

VARENHIKOV, I., general-leytenant v zapase.

Great victory. Voen. znan. 34 no.2:13-14 7 '58.

(MIRA 11:3)

1. Byvshiy nachal'nik shtaba Stalingradskogo fronta.
(Stalingrad, Battle of, 1942-1943)

VARENNIKOV, I., general-leytenant zapasa

Memoirs of a Soviet marshal ("In the Western sector" by A.I.
Bremenko. Reviewed by I.Varennikov). Voen.znan. 36 no.5:35
My '60, (MIRA 13:4)
(World War, 1939-1945--Campaigns)
(Bremenko, A.I.)

VARENNIKOV, I.

Immediate task of the All-Union Volunteer Society for Assistance
to the Army, Air Force, and Navy. Voen. znan. 38 no.3:34-
35 Mr '62. (MIRA 15:2)

1. Nachal'nik Upravleniya grazhdan'skoy oborony Tsentral'nogo
komiteta Dobrovol'nogo obshchestva sodeystviya armii, aviatsii i
flotu.

(Military education)

BOGOLYUBSKIY, G.N.; BURLINOV, I.I.; VINOGRADOV, L.V.; VOZNESENSKIY,
V.V.; DANILYUK, V.S.; ZUBKIN, A.S.; IL'YASHEV, A.S.; KORABLEV,
M.D.; LEEDEVA, Yu.A.; MAKAROV, Yu.K.; MIROSHNIKOV, I.P.;
NOVICHENKO, I.P.; POPOV, A.V.; SEREBRAKOV, V.A.; VARENNIKOV,
I.S., red.; GODINER, F.Ye., red.; SORKIN, M.Z., tekhn. red.

[Protecting the population from present-day means of
destruction] Zashchita naseleniia ot sovremennykh sredstv po-
razheniia; uchebnoe posobie dlia organizatsii DOSAAF. Pod ob-
shchei red. I.S.Varennikova i L.V.Vinogradova. Izd.2., perer.
i dop. Moskva, Izd-vo DOSAAF, 1962. 254 p. (MIRA 16:4)
(Civil defense)

VARENNIKOV, S.I.

Content of hyaluronidase in the mixed saliva of schoolchildren.
Stomatologii 42 no.4: 25-29 J1-Ag'63 (MIRA 17:4)

1. Iz kafedry terapevticheskoy stomatologii (zav. - prof. Ye.Ye. Platonov) Moskovskogo meditsinskogo stomatologicheskogo instituta i laboratorii biokhimii (zav. - prof. L.G. Smirnova) Instituta akusherstva i ginekologii (dir. - prof. O.D. Makeyeva) Ministerstva zdravookhraneniya RSFSR.

VARENNIKOVA, T. V., KLIMENKO, V. G., PUSHNYAK, A. N., BEREZOVNIKOV, A. D.,
PINEGINA, R. I., and TSUPKANY, P. A. (USSR)

"Forms Taken by the Protein and other Nitrogen Compounds in
the Vegetative Parts of Plants."

Report presented at the 5th International Biochemistry Congress,
Moscow, 10-16 Aug 1961

VARENNIKOVA, T.V.; KLIMENKO, V.G.

Variability of the content of protein and nonprotein nitrogen in
grain and green bulk of some phaseolus varieties (Ph. vulgaris L.).
Trudy po khim. prirod. soed. no.3:83-97 '60. (MIRA 16:2)

1. Kishinevskiy gosudarstvennyy universitet. Laboratoriya khimii belka.
(Beans—Varieties) (Plants—Chemical analysis) (Nitrogen)

VARENOV, B.N. (SSSR); TIMOFEJEV, V.I. [Timofeyev, V.I.] (SSSR)

Digital systems of automatic control and recording.
Hut listy 17 no.5:354-357 My '62.

ACC NR: AP7000371 (N) SOURCE CODE: UR/0413/66/000/022/0158/0158

INVENTOR: Varenov, P. G.; Sobolev, P. P.; Sidorova, I. V.

ORG: None

TITLE: Nozzle for a ship's screw. Class 65, No. 188856

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 22, 1966, 158

TOPIC TAGS: nozzle design, marine engineering, *SHIP COMPONENT*


ABSTRACT: This Author's Certificate introduces a nozzle for a ship's screw. The unit includes external and internal surfaces interconnected by reinforcing ribs. To reduce disturbing forces transmitted from the screw to the hull, the internal surface of the nozzle is mounted on shock absorbers in the region of the screw disc.

Card 1/2

UDC: 629.1.037.23

0930 . 5684

ACC NR: AP7000371



1—external surface of the nozzle; 2—internal surface of the nozzle; 3—internal surface of the nozzle in the region of the screw disc; 4—shock absorbers

SUB CODE: 13/ SUBM DATE: 18Oct65

Card 2/2

DORMIDONTOV, Nikolay Konstantinovich, doktor tekhn. nauk, prof.;
LYSENKO, Lavr Georgiyevich, kand. tekhn. nauk; PAVLOV,
Aleksandr Ivanovich, dots., kand. tekhn. nauk; TEREHT'YEV,
Georgiy Borisovich, kand. tekhn. nauk; SHMUYLOV, Nikolay
Leonidovich, st. prepod. inzh.; Prinimal uchastiye KUZNETSOV, V.P.,
kand. tekhn. nauk, dots.; SMOLYAKOV, B.N., dots., retsenzent; GRINBAUM, A.F.,
inzh. retsenzent; VARENOV, P.G., inzh., retsenzent; ASHIK, V.V., red.; VOLCHOK,
K.M., tekhn. red.

[Design and arrangement of ships for inland navigation] Kon-
struktsiia i ustroistvo sudov vnutrennego plavaniia. Pod ob-
shchei red. N.K. Dormidontova. Leningrad, Izd-vo "Rechmoi
transport," Pt.2. [Metal ships] Metallicheskie suda. 1962.
271 p. (MIRA 15:12)

1. Kafedra arkhitektury i proyektirovaniya korablya Lenin-
gradskogo instituta vodnogo transporta (for Dormidontov,
Lysenko, Pavlov, Terent'yev, Shmuylov, Kuznetsov).
(Naval architecture)
(Ships, Iron and steel)

VARENOV, P.G., inzh.; YEVSTIFEYEV, V.A., inzh.; IKONNIKOV, V.V., inzh.

Dry cargo ships without transverse bulkheads between holds.
Sudostroenie 29 no.3:1-5 Mr '63. (MIRA 16:4)
(Hulls (Naval architecture))

ACC NR: AP6022031

SOURCE CODE: UR/0120/66/000/003/0198/0202

AUTHOR: Nikol'skiy, A. P.; Belitskiy, I. Z.; Protsenko, V. M.; Yevlanov, I. Ya;
Nazarov, V. K.; Varenov, B. N.; Shmelov, V. I.; Kordonskiy, G. A.

ORG: Central Laboratory of Automatics, GKChTsMET, Moscow (Tsentral'naya laboratoriya avtomatiki)

TITLE: Automatic fluorescent x-ray spectrometer

SOURCE: Pribery i tekhnika eksperimenta, no. 3, 1966, 198-202

TOPIC TAGS: automatic spectrometer, x ray spectrometer

ABSTRACT: A newly developed all-wave vacuum fluorescent automatic x-ray spectrometer is briefly described; intended for both qualitative and quantitative analyses, the two-beam spectrometer permits programming of 24 lines. The programming unit has storages for these parameters: the Wulf-Bragg angle, discrimination threshold, discrimination-window width, standard or timer pulses, collimator type, sequence of interrogation of lines. These units are mentioned or described: x-ray optical system; primary and secondary collimators; crystal analysers (LiF and $\text{NH}_4\text{H}_2\text{PO}_4$); radiation detectors (proportional and NaI(Tl) scintillation counters); amplifiers, supply packs, etc. The BKbV-6 x-ray tube (50 kv, 100 ma) permits exciting the K-series of elements with $Z = 12-60$ and the L-series with $Z > 60$. Data regarding counting rates of pure elements is supplied. Orig. art. has: 3 figures and 1 table.

[03]

SUB CODE: 20, 09/SUBM DATE: 14Apr65/ORIG REF: 006 / OTH REF: 001

UDC: 543.426

VARENOV, V., mayor

A private who is the secretary of a local organization of the
Communist Youth League. Komm.Vooruzh.Sil 3 no.19:76-78
0 '62.

(Russia--Army--Political activity) (MIRA 15:9)

VARENOV, V.

Vocation. Grazhd.av. 20 no.8:9-10 Ag '63.
(Air pilots)

(MIRA 16:9)

VOROB'EV, N.K.; KORITSYN, I.V.; VARENKOVA, C.K.

Heat of mixture of aniline and benzoyl chloride with some
organic solvents. Izv. vys. ucheb. zav.; khim. i khim. tekhn. 8
no. 4: 592-596 '65.
(MIRA 18:11)

1. Ivanovskiy khimiko-tekhnologicheskii institut, kafedra
fizicheskoy i kolloidnoy khimii.

VARMENTSEV, B.V., inzhener.

Nozzles for sand and metal shot blasting apparatuses. Lit.proizv.
no.12:29 D '55. (MLRA 9:3)
(Foundry machinery and supplies) (Nozzles)

CA VARENTSOV, I. I.

12

Biochemical peculiarities in ripening and storage of green peas. I. I. Varentsov and V. M. Tschoumskaya (Food Ind. Ministry, Moscow). *Biokhimiya Plodov i Ovochek*, Sbornik 2, 150-66(1951).—The d. of the pea as detd. with a penetrometer and the d. of the pea detd. pyknometrically can serve as ripeness indexes. Best quality material has a penetrometer index not over 2500, d. 1.02-1.04, high sugar content (av. 5%), and low ratio of starch/sugar. A product less desirable for canning that is overripe shows 3000 or more penetrometer reading, d. 1.04-1.06, 3-3.5% sugar, and up to 8% starch, or higher. Unshelled peas were stored 19 days at 0° without deterioration with a small rise of starch; shelled peas show a greater change of the starch/sugar ratio. Storage at -3° leads to bad flavor, caused by underoxidized substances. Storage at 8° leads to rapid decline of sugar and rise of starch and gives unsatisfactory results. A photograph of the penetrometer is given.

G. M. Kosolapoff

VARENTISOV, I. I.

Plum

Varieties of plums for canning. Sad i og. no. 1, '52.

9. Monthly List of Russian Accessions, Library of Congress, May 1952, Uncl.

VARENTSOV, I.I., kandadat sel'skokhozyaystvennykh nauk.

Chemical and technological testing of tomato varieties. Trudy VNIHKOP
no.5:55-63 '55. (MLRA 9:11)

(Tomatoes--Varieties)

USSR/Cultivated Plants - Fruits. Berries.

Abs Jour : Ref Zhur Biol., No 18, 1958, 82506 M
Author : Il'yashchenko, K.S., Varentsov, I.I.
Inst : All-Union Scientific Research Institute of the Canning
and Vegetable Deying Industry
Title : Local Canning Varieties of Quince.
Orig Pub : Referaty nauchn. rabot. Vses. n.-i. in-t konservn. i
ovoshchesush. prom-sti, 1957, vyp. 4, 119-124
Abstract : A network of experimental stations and experimental
points of the Institute recommend for a temporary assort-
ment for different zones more than 54 varieties of which
43 are local varieties. A brief characteristic of them
is cited.

Card 1/1

VARENTSOV, I. I.

Greater attention to the growing of eggplants for canning. Kons. i ov.
prom. 12 no.2:31-33 P 157.
(MLRA 10:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut konservnoy i ovoshche-
sushil'noy promyshlennosti.
(Eggplant)

V VARENTSOV, I.I.; MEN'SHIKOVA, V.A.

For maximum use of quince in the canning industry. Kons.i ov.prom.
12 no.8:45-47 Ag '57. (MLRA 10:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut konservnoy i
ovoshchesushil'noy promyshlennosti (for Varentsov). 2. Stalin-
gradskaya opytnoselektсионnaya stantsiya Vsesoyuznogo nauchno-
issledovatel'skogo instituta konservnoy i ovoshchesushil'noy
promyshlennosti (for Men'shikova).
(Quince)

VARENTSOV, I.I.

New pepper varieties for canning and preserving. Kons. i ov. prom.
14 no.9:29-31 S '59. (MIRA 12:12)

1. TSentral'nyy nauchno-issledovatel'skiy institut konservnoy i
ovoshchesushil'noy promyshlennosti.
(Pepper--Preservation)

VARENTSOV, I.I.

Pay greater attention to the selection of peach varieties for the
canning industry. Kons. 1 ov. prom. 14 no.10:28-31 0 '59.
(MIRA 12:12)

1. Tsentral'nyy nauchno-issledovatel'skiy institut konservnoy i
ovoshchesushil'noy promyshlennosti.
(Fruit, Canned) (Peaches)

VARENTSOV, I.I.

Best cherry varieties for canning and preserving. Kons. i
ov.prom. 14 no.12:24-27 D '59. (MIRA 13:3)

1. TSentral'nyy nauchno-issledovatel'skiy institut konservnoy
i ovoshchesushil'noy promyshlennosti.
(Cherry--Preservation)

VARENTSOV, I.I.

Plenum of the State Commission for testing agricultural crop varieties. Kons.i ov. prom. 15 no.6:46-47 Je '60. (MIRA 13: 9)
(Agricultural estimating and reporting)

VARSHNEV, I.I.; KOLITSEV, I.V.; ANTONOVA, L.I.

Factors determining the transportability of tomatoes. Trudy VNIIECF
no.11:102-112 '62. (MIRA 17:9)

VARENTSOV, I., kand. sel'skokhoz. nauk

Water transportation of tomatoes. Rech. transp. 22 no.9:
16-17 S '63. (MIRA 16:10)

FLORENSKIY, V.P.; VAHENTSOV, I.M.

Paleozoic volcanism in the eastern region of the Russian Platform.

Dokl.AN SSSR 95 no.5:1085-1088 Ap '54.

(MLRA 7:4)

Predstavleno akademikom S.I.Mironovym.

(Russian Platform--Petrology) (Petrology--Russian Platform)

VARENTSOV, I.M.

Structure and distribution of bivalve crustacean phyllopoda
especially the genus Palaeolimnadiopsis in the Paleozoic. Dokl.
AN SSSR 104 no.2:310-312 S '55. (MLRA 9:2)

1. Institut nefti Akademii nauk SSSR. Predstavleno akademikom
S.I. Mironovym.
(Phyllopoda, Fossil)

VARENTOV, I.M.

Stratigraphy of Middle Devonian deposits in Tuva. Dokl. AN SSSR 104
no.3:459-461 S '55. (MLRA 9:2)

1. Institut nefti Akademii nauk SSSR. Predstavleno akademikom S.I.
Mironovym.
(Tuva autonomous province--Geology, Stratigraphic)

NOVOZHILOV, Nestor I.; VARENTSOV, I.M.

~~Abstracted from~~
New Conchostraca from the Givetian of Tuva. Dokl. AN SSSR, 110
no. 4: 670-673 O '56. (MLA 10:1)

1. Paleontologicheskii institut Akademii nauk SSSR i Institut nefi
Akademii nauk SSSR. Predstavleno akademikom S.I. Mironovym.
(Tuva Autonomous Province—Lamellibranchiata, Fossil)

VARENTSOV, I. M. Cand Geol-Min Sci -- (diss) "The Stratigraphy, Lithology, and Facies of the Middle and Upper Devonian in the Tuva Depression." Mos., 1957. 21 pp 20 cm. (Academy of Sciences USSR, Geologic Inst), 120 copies (KL, ~~XXXXXX~~ 25-57, 110)

AUTHOR:

Varentsov, I. M.

5-3-6/37

TITLE:

On the Arenaceous Devonian Rocks of the Tuva Depression and Problems of Their Classification (O peschanykh porodakh devona Tuvinskogo progiba i voprosakh ikh klassifikatsii)
Article 1 (Stat'ya 1)

PERIODICAL:

Byulleten' Moskovskogo Obshchestva Ispytateley Prirody, Otdel Geologicheskii, 1957, No 3, pp 93-115 (USSR)

ABSTRACT:

General problems of classification and nomenclature of sandstones are considered in the article. In particular, an attempt is made to advance a detailed classificatory subdivision of complex multi-component arenaceous rocks of the Middle and Upper Paleozoic systems in the Tuva depression. The author proposes the following nomenclature:
1) Quartz sandstones are conventionally characterized by quartz content from 70 to 95%; feldspar, mica and other components up to 30%.
2) Feldspar-quartz sandstones may contain 75 to 100% of quartz, 10 to 25% of feldspar, and up to 15% of various detritus of fine-grained rocks.
3) Arkose sandstones or arkoses are composed of coarse grains of glassy quartz and feldspar mixed in unequal quantities and

Card 1/4

5-3-6/37

On the Arenaceous Devonian Rocks of the Tuva Depression and Problems of Their Classification. Article 1

some admixtures of accidental substances, such as mica, clay, etc.

4) Graywackes or graywacke sandstones, which in turn can be subdivided into 3 subtypes:

a. Graywacke sandstones proper are characterized by the quartz content of up to 50%, feldspars and mica up to 10%, various detritus of fine-grained metamorphic rocks - not less than 50%.

b. Feldspar-graywacke sandstones differ from graywackes proper by a somewhat larger content of feldspars (from 10 to 25%) and corresponding changes in the content of other components.

c. Quartz-graywacke sandstones are characterized by the quartz content from 50 to 75%, feldspar content from 0 to 25%, and detritus of various fine-grained metamorphic and sedimentary rocks from 25 to 50%. Most of the quartz-graywacke arenaceous rocks of the Devonian system in Tuva contain noticeable amounts of tuff breccia, and therefore these rocks can be called tuffite quartz-graywacke sandstones.

Card 2/4

5-3-6/37

On the Arenaceous Devonian Rocks of the Tuva Depression and Problems of
Their Classification. Article 1

Tuffs contain no less than 80 to 90% of pyroclastic detritus of volcanic origin. Tuffogenous sandstones or tuffites contain from 50 to 80% of volcanic material. The content of arenaceous rocks is usually depicted graphically by means of triangular diagrams. The multi-component vector diagram composed by A.N. Zavaritskiy is the best one. It represents a rectangular tetrahedron shown on a plane. The author proposes some modifications of this diagram as applied to arenaceous rocks. Their main groups are as follows:

1. The unfolded rectangular tetrahedron is divided into 2 fields: left one for pyroclastic, volcanic rocks, and the right one for normal sedimentary, clastogene rocks;
2. The vertex of the right angle corresponds to the 100% quartz content. The lower tetrahedron vertex corresponds to the 100% content of fine-grained detritus of rocks, the right vertex corresponds to the 100% content of the sum of alkaline feldspars plus mica. These two components are closely interconnected petrogenetically. The left vertex corresponds to the 100% content of volcanic detritus. The sum of the

Card 3/4

5-3-6/37

On the Arenaceous Devonian Rocks of the Tuva Depression and Problems of
Their Classification. Article 1

so-called basic characteristics located in the vertices of
the rectangular tetrahedron amounts to 100%.

3. Additional characteristics, introduced for the more complete description of the real content, are expressed by means of vectors, whose scale is conventionally adopted as being 2.5 times as small as that of the basic characteristics of the diagram. The author gives some examples of applying his vector diagram for arenaceous rocks of the Tuva depression. The article contains 1 table, 10 diagrams and 59 references, of which 16 are Russian, 1 is Latin, 4 are French, 2 are German and 36 are in English.

AVAILABLE: Library of Congress

Card 4/4

WILLIAMS, Howel; TURNER, F.J.; GILBERT, Ch.M.; VARENTSOV, I.M. [translator];
SLOBODSKIY, N.I. [translator]; PETROV, V.P., red.

[Petrography; an introduction to the study of rocks in thin
sections] Petrografiia; vvedenie v izuchenie gornyykh porod v
shlifakh. Moskva, Izd-vo inostr.lit-ry, 1957. 425 p.
Translated from the English. (MIRA 13:6)
(Petrology)

VARENTISOV, I.M.

~~Characteristics of the distribution of clastic Gothlandian and
Devonian rocks in the Tuva Depression. Izv. AN SSSR. Ser. geol.~~
23 no.2:114-118 F '58. (MIRA 11:5)

1.Geologicheskii institut AN SSSR, Moskva.
(Tuva Depression--Rocks, Sedimentary)

VARENTSOV, I.M.; TEODOROVICH, G.I., doktor geologo-mineralog.nauk,
otv.red.; MERGASOV, G.G., red.izd-va; MARKOVICH, S.G.,
tekhn.red.

[Stratigraphy and facies of middle and upper Devonian
sediments in the Tuva Depression] Stratigrafiia i fatsii
otlozhenii srednego i verkhnego devona Tuvinskogo progiba.
Moskva, Izd-vo Akad.nauk SSSR, 1959. 68 p. (MIRA 12:12)
(Tuva Depression--Geology, Stratigraphic)

VARENTSOV, M.; KUZNETSOV, A.

Oil in Sahara. Vnesh. torg. 30 no.2:50-51 '60. (MIRA 13:2)

1.Chlen-korrespondent AN SSSR (for Varentsov).
(Sahara--Oil fields)

VARENTSOV, I.M.

Some problems in the geochemistry of the Usa manganese deposit
(Kuznetsk Ala-Tau). Dokl.AN SSSR 138 no.5:1175-1178 Je '61.
(MIRA 14:6)

1. Geologicheskii institut AN SSSR. Predstavleno akademikom
N.M.Strakhovym.
(Usa Valley—Manganese ores)

VARENTSOV, I.M.

Geochemistry of the Usa manganese deposit in the Kuznetsk
Ala-Tau; distribution of Mn, Fe, P, CaO, MgO, Al_2O_3 , SiO_2 , and
S in the ore-bearing layer of the Usa deposit of carbonate
manganese ores. Trudy GIN no.70:28-64 '62. (MIRA 15:8)
(Gornaya Shoriya—Manganese ores—Analysis)

VARENTSOV, I.M.

Most important manganese formations. Trudy GIN no.70:119-173
'62. (MIRA 15:8)
(Mangansse ores)

VARENTSOV, I.M.

Distribution of Mn, Fe, P, Co₂ and Corg. in the Oligocene of the southern Ukrainian manganese-ore basin. Dokl. AN SSSR 147 no.3:703-706 N '62. (MIRA 15:12)

1. Geologicheskii institut AN SSSR. Predstavleno akademikom N.M. Strakhovym.
(Ukraine, Southern—Geochemistry)
(Ukraine, Southern—Manganese ores)

VARENTSOV, I. M.

Geochemistry of the Olegocene of the Southern Ukrainian manganese
basin; distribution of Mn, Fe, P, CO₂ and Corg in Kharkovian sediments.
Trudy GIN no. 97:72-164 '63. (MIRA 17:5)

BLADVA, O.I.; VALENTSOVA, K.I.; PANOVA, G.A.

Preparation of suppositories, ointments and liniments using a
tissue grinder. Apt. delo 13 no.2:60-70 Kp-11 '64. (NINA 17:12)

1. Tsentral'nyy aptechayy nauchno-issledovatel'skiy institut,
Moskva.

FARIZOV, I.O.; MEDOVYY, A.I.; MAKSIMOV, M.A.; MASLOV, A.A.; MUSSO, S.;
BOGDANCHIKOV, M.M.; VARENTSOV, K.M.; AVARIN, V.Ya., otv. red.;
POLYAK, A.A., otv. red.; TRINICH, F.A., red. izd-va; VOLKOVA,
V.V., tekhn. red.

[Agrarian-peasant question in the independent underdeveloped
countries of Asia; India, Burma, Indonesia] Agrarno-krest'ianskii
vopros v suverennykh slaborazvitykh stranakh Azii; Indii, Birma,
Indoneziia. Moskva, 1961. 353 p. (MIRA 14:6)

1. Akademiya nauk SSSR. Institut mirovoy ekonomiki i mezhd narodnykh
otnoshenii.
(Asia, Southeastern--Agriculture--Economic aspects)

Ca

The geology of petroleum and gas deposits of the
Taman peninsula and the more vital problems of gas
prospecting in the Taman peninsula. I. M. Gubkin and
M. I. Varentsov. *Natural Gases* U. S. S. R. No. 7.
90-125(1933).-- Compus. of gases from 10 deposits are
A. A. Podgorny
gi. en.

ABR-SLA METALLURGICAL LITERATURE CLASSIFICATION

SOKOLOV, V.A., prof., doktor khim.nauk; VARENTSOV, M.I., prof., red.

[Origin of petroleum; verbatim account of a public lecture delivered in the Central Lecture Hall of the Society in Moscow] Proiskhozhdenie nefiti; stenogramma publichnoi lektsii, pročitannoi v Tsentral'nom lektorii Obshchestva v Moskve. Moskva, 1949. 21 p.
(MIRA 14:1)

(Petroleum geology)

VARENTSOV, Mikhail Ivanovich and Gubkin, I. M.

"The Geology of the Oil and Gas Deposits of Taman; Peninsula," Baku-Moscow, 1934
(Geologiya neftyanykh i gazovykh mestorozhdeniy Tamanskogo poluostrova).

Bol'shaya Sovetskaya Entsiklopediya, Vol. VI, 2nd ed., Moscow, 1949

VARENISCV, M.I. & N. I. BUIALOV

RT-1246 (The rich petroleum resources of the Soviet Union are a strong base of the Third Five-Year Plan) Bogateishie neftianye resursy Sovetskogo Soiusa - prochnaia baza tret'ei piatiletki. Pages 21-54, from:
GEOLOGICHESKAIA IZUCHENNOST' I MINERAL'NO-SYR'EVAIA BAZA SSSR. I.M.Gubkin, ed.
Moscow-Leningrad, 1939.

VARENTSOV, Mikhail Ivanovich

"The Problem of the Oil Resources of Turkmenia in the Light of New Data,"
in the book Geologiya i poleznyye iskopsemyye Sredney Azii (The Geology and
Useful Minerals of Central Asia), Moscow, Leningrad, 1940 (Academy of Sciences
USSR)

Bol'shaya Sovetskaya Entsiklopediya, Vol. VI, 2nd ed., Moscow, 1949

VARENTSOV, M. I.

"The New Oil-Bearing Region of the Vienna Basin and Possible Analogs in Georgia,"
Byull Gruzntft, No.1, 1948.

USSR/Geology

Geological Prospecting

Petroleum

Jan 1948

"Geological Structure and Petroleum-bearing Possibilities of the Western Part of the Kurinsk Depression and Adjacent Parts of Georgia SSR," M. I. Varentsov, Inst Mineral Fuels, Acad Sci USSR, 12 pp.

"Izv Akad Nauk SSSR, Otdel Tseli Nauk" No 1

Briefly reports studies conducted by author on geologic structure of petroleum-bearing layers of subject regions, and points out principal directions in which future studies should be made. Gives sectional map of Mesozoic-Mesozoic deposits of western part of the USSR/Geology (Cont'd) Jan 1948

Kurinsk depression. Submitted by Academician B. B. Sametlin at session of Scientific Council, Institute of Mineral Fuels, Academy of Sciences, USSR, 4 Feb 1947. Published, 17 Mar 1947.

VARENTSOV, M. I.

4729

VARENTSOV, M. I.

33051

Osnovopolozhnik ucheniya o nefi i otets Russkoy neftyanoy Geologii. (K 10-letiyu so dnya smerti akad. I. M. Gubkina) trudy in-ta nefi (Akad. Nauk Ssr), T. I VYP. 1, 1949, o. 7-22- Bibliogr: 7 Nazv.

SO: Letopis' Zhurnal'nykh Statey, Vol. 45, Moskva, 1949

VARENTSOV, M. I.

33050

Oshovopolozhnik Russkoy Neftyanyy geologii akademik I. M. Gubkii (1871-1939) Vestnik Akad. Nauk Sssr. 1949, No 10, c. 80-89

SO: Letopis' Zhurnal'nykh Statey, Vol. 45, Moskva, 1949

VALENTSEV, N. I.

36612. "I. A. Gukin" - Osnovopolozhnik Sovetskogo Nafti. (Sokr. Doklady Na Zasedanii Sessii Uchen. Sovetov In-Ta Nafti Akad. Nauk SSSR i Mosk. Naft. In-Ta Im. Gukina Sovmestno S I.-vom Naft. Prom-sti SSSR. Apr. 1949 G.) Izvestiya Akad. Nauk SSSR, Otd-Miya Tekhn. Nauk, 1949, No. 11, s. 1593-606, S Portr. - Bibliogr: 16 Nazv.

SO: Letopis' Zhurnal'nykh Statey, Vol. 50, Moskva, 1949

VARENISOV, M. I. and MOROZOVSKIY, V. I.

"Possible Conditions of Accumulation of Organic Matter for Oil Formation," Iz.
Ak. Nauk SSSR, Ser. Geol., No.6, pp. 136-139, 1950

Translation W-19516, 11 Sep 51

Varentsov, M.I., ed.

AKADEMIIA nauk SSSR. Otdelenie geologo-geograficheskikh nauk.
The state of science on sedimentary rocks Moskva, Izd-vo Akademii nauk SSSR,
1951 277p. maps.(54-24227)

QE471. A54

1. Rocks, Sedimentary.
2. Petrology- Addresses, essays, lectures, etc.

VARENTSOV, M. I.

Geologists

Life and work of Academician I. M. Gubkin, Izv. AN SSSR. Ser geol. No. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, July 1952, 2 Unclassified.

VARENTSOV, M.I.

Biography and activities of I.M.Gubkin. Trudy po ist.tekh. no.3:
30-50 '53. (MLRA 7:5)
(Gubkin, Ivan Mikhailovich, 1871-1939)

~~VARENTSOV, M.I.~~; MORDOVSKIY, V.T.; TEODOROVICH, G.I., otvetstvennyy
redaktor; SHAPOVALOVA, G.A., redaktor; ASTAF'YEVA, G.A., tekhniche-
skiy redaktor

[Geological structure of the northern edge of the Gori-Mukhran
depression] Geologicheskoe stroenie severnogo borta Gori Mukhranskoj
depressii. Moskva, Izd-vo Akad. nauk SSSR, 1954. 84 p. (MIRA 8:3)
(Georgia--Geology, Structural)

PUSTOVALOV, L.V., otvetstvennyy red.; DMITRIYEV, Ye.Ya., zastitel'
otvetstvennogo red.; TOPCHIYEV, A.V., akademik, red.; MIRONOV,
S.I., akademik, red.; ALIYEV, M.M., red.; AKHMEDOV, G.A., red.;
VARENTSOV, M.I., red.; DOLGOPOLOV, N.N., red.; IL'IN, A.A., red.;
MEKHTIYEV, Sh.F., red.; MIRCHINK, M.F., red.; MOZESON, D.L., red.;
RENGARTEN, V.P., red.; FOMIN, A.V., red.; IL'INA, N.S., red.
izd-va; NOVICHKOVA, N.D., tekhn. red.

[Geology of the Talysh Mountains; papers of the expedition]
Voprosy geologii Talysha; trudy ekspeditsii, Moskva, 1958. 151 p.
(MIRA 11:9)

1. Akademiya nauk SSSR. Sovet po izucheniyu proizvoditel'nykh sil.
Azerbaydzhanskaya neftyanaya ekspeditsiya. 2. Deystvitel'nyy
chlen Akademii nauk AzSSR (for Aliyev). 3. Chlen-korrespondent
Akademii nauk SSSR (for Varentsov, Mekhtiyev, Pustovalov,
Rengarten).

(Talysh Mountains--Geology)

MORDOVSKIY, Viktor Trofimovich; VARENTSOV, M.I., otv.red.; SHAPOVALOVA,
G.A., red.izd-va; MARKOVICH, S.G., tekhn.red.

[Tectonics, and oil and gas potentials of the southern part of
the Siberian Platform] Tektonika i neftegazonosnost' iuzhnoi
chasti Sibirskoi platformy. Moskva, Izd-vo Akad.nauk SSSR,
1959. 118 p. (MIRA 12:12)

1. Chlen-korrespondent AN SSSR (for Varentsov).
(Siberian Platform--Petroleum geology)
(Siberian Platform--Gas, Natural--Geology)

ZHABREV, Daniil Vasil'yevich; MEKHTIYEV, Shafayat Farkhadovich; PUSTOVALOV, L.V., otv.red.; DMITRIYEV, Ye.Ya., zam. otv.red.; TOPCHIEV, A.V., akademik, red.; MIRONOV, S.I., akademik; red.; ALIYEV, M.M., red.; AKHMEDOV, G.A., red.; VARENTSOV, M.F., red.; DOLGOPOLOV, N.N., red.; IL'IN, A.A., red.; MIRCHINK, M.F., red.; MCZESON, D.L., red.; FOMIN, A.V., red.; POLEVA, Ye.M., red.izd-va; KASHINA, P.S., tekhn.red.

[Bituminology of the Tertiary complex of southeastern Azerbaijan]
K bituminologii tretichnogo kompleksa iugo-vostoka Azerbaidzhena.
Moskva, Izd-vo Akad.nauk SSSR, 1959. 110 p. (MIRA 12:6)

1. Chlen-korrespondent AN AzSSR (for Mekhtiyev).
2. Chlen-korrespondent AN SSSR (for Pustovalov, Varentsov, Mirchink).
3. Daystvitel'nyy chlen AN AzSSR (for Aliyev).
(Azerbaijan--Bitumen)

3. (5)

AUTHORS:

Varentsov, M. I., Corresponding
Member AS USSR, Dittmar, V. I.

SOV/20-126-3-48/69

TITLE:

On the Formation of the Tengizskaya and Karagandinskaya
Depressions (K formirovaniyu Tengizskoy i Karagandinskoy vpadin)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 126, Nr 3,
pp 630-633 (USSR)

ABSTRACT:

The geological structure of the depressions mentioned in the title (Central Kazakhstan) was described by N. G. Kassin, N. S. Shatskiy, D. G. Sapozhnikov, G. I. Kushev and in the references 1-6 et al. In spite of this, there are contradictory interpretations of several basic problems of regional geology (Refs 3, 6). In the present paper, the authors describe their ideas of the main formation stages of the two mentioned depressions. Besides, they characterize, on the basis of their investigations, their recent structure in general. In this recent structural plan, both depressions represent depressions between mountains. On the whole, they show rounded outlines which are a little extended in the lateral sense. The boundaries of the Tengizskaya Depression are drawn on the basis of indications of the early Cambrian and of the

Card 1/3

On the Formation of the Tengizskaya and
Karagandinskaya Depressions

SOV/20-126-3-48/69

lower and middle Paleozoic periods; in the Karaganda Depression, rocks of the lower and middle Devonian system are used for this purpose. Both depressions are limited by folded zones and anticlinoria, respectively. In the east, the Karaganda Depression is not quite closed, and is continued by the so-called Ashchisuyskaya basin. The said reliefs formed at different points of time by different rocks according to their thickness and composition. The intensity and character of dislocations, the occurrence of magmatic activity etc are also different for individual reliefs. They are described in detail (Refs 1, 5). The whole manifold complex of sedimentary, metamorphic and magmatic formations taking part in the building-up of the two depressions and their surroundings, forms 3 distinctly from each other differing structural layers. They represent the main epochs of geotectonic evolution in the area referred to: the Caledonian folding epoch, the Hercynian Cycle of tectogenesis, and the Alpine folding (counted from bottom to top). During the Cretaceous and the Tertiary periods, the area referred to

Card 2/3

On the Formation of the Tengizskaya and
Karagandinskaya Depressions

SOV/20-126-3-48/69

was submitted to a denudation leveling owing to oscillating motions. Only at the end of the Oligocene, the wide and deep old valleys were filled with an accumulation of colored, mainly gypsum-containing loams due to a general lowering of the Central Kazakhstan. In the Quaternary period, the tendencies of a continuous lowering are partly maintained, and the recent structural plan is finally established. There are 6 Soviet references.

ASSOCIATION: Institut geologii i razrabotki goryuchikh iskopayemykh
Akademii nauk SSSR (Institute for the Geology and
Exploitation of Mineral Fuels of the Academy of
Sciences, USSR)

SUBMITTED: March 16, 1959

Card 3/3

TEODOROVICH, Georgiy Ivanovich; POLONSKAYA, Brungil'da Yakovlevna;
ANDRIANOVA, Aleksandra Glebovna; MELAMEDOVA, Valentina Semenovna;
PISARENKO, Irina Aleksandrovna; SHVEDOVA, Tamara Mikhaylovna;
VARENTSOV, M.I., otv.red.; SHAPOVALOVA, G.A., red.izd-va; RYLINA,
Yu.V., tekhn.red.

[Mineralogical-geochemical facies and conditions of the formation
of petroleum-producing terrigenous Devonian strata in western
Bashkiria and eastern Tatarstan] Mineralogo-geokhimicheskie
fatsii i uslovia obrazovaniia nefteproizvodiaschikh terrigennykh
otlozhenii devona Zapadnoi Bashkirii i Vostochnoi Tatarii. Moskva,
Izd-vo Akad.nauk SSSR, 1960. 148 p.

(MIRA 14:3)

1. Chlen-korrespondent AN SSSR (for Varentsov).
 (Ural-Volga region--Petroleum geology)

LEVENKO, Anatoliy Ivanovich; VARENTSOV, M.I., otv.red.; PERSHINA, Ye.G.,
red.izd-vs; NOVICHKOVA, N.D., tekhn.red.

[Devonian period of central and southern Tuva] Devon tsentral'noi
i iuzhnoi Tuvy. Moskva, Izd-vo Akad.nauk SSSR, 1960. 156 p.
(MIRA 14:3)

1. Chlen-korrespondent AN SSSR (for Varentsov).
(Tuva Autonomous Province--Geology, Stratigraphic)

BOGDANOV, A.A. (SSSR); SLAVIN, V.I. (SSSR); KSIĄZKIEWICZ, M. (Pologne);
VARENTSOV, M.I. (SSSR); WDOWIARZ, St. (Polska); PASHCHENKO, Ya.Ye.
(SSSR); MISHUNINA, Z.A. (SSSR); ZIELINSKI, J. (Polen)

Participation in discussions. Mat.Karp.-Balk.assots. no.1:190-207
'60.

(Geology)

(MIRA 14:12)

VARENTSOV, M.I.; DOROSHKO, S.M.; KURENKOV, N.T.

Geology, and oil and gas potentials of the Zeya-Bureya Plain. Geol.
i geofiz. 10:3-12 '60. (NIA 14:1)

1. Institut geologii i razrabotki goryuchikh iskopayemykh, Moskva.
(Zeya-Bureya Plain—Petroleum geology)
(Zeya-Bureya Plain—Gas, Natural—Geology)

VARENTSOV, M.I.; DITMAR, V.I.

Division of the Tengiz Depression into tectonic regions. Dokl.
AN SSSR 134 no.4:895-898 0 '60. (MIRA 13:9)

1. Institut geologii i razrabotki goryuchikh iskopyemykh
Akademii nauk SSSR. 2. Chlen-korrespondent AN SSSR (for
Varentsov).
(Tengiz region (Akmolinsk Province)--Geology, Structural)

VARENTSOV, M.I.

Founder of the petroleum geology, a progressive Soviet science; ninetieth anniversary of the birth of Ivan Mikhailovich Gubkin. Sov.geol. 4 no.11:9-20 N '61. (MIRA 14:11)

1. Akademiya nauk SSSR.
(Gubkin, Ivan Mikhailovich, 1871-1939)

VARENTSOV, M.I.; RYABUKHIN, G. Ye.; GROMEKA, T.G.; KUZNETSOV, A.S.

New oil- and gas-bearing areas of North Africa in Libya.
Geol. nefiti i gaza 5 no.6:56-60 Je '61. (MIRA 14:6)

1. Institut geologii i razrabotki goryuchikh iskopayemykh,
Moskovskiy institut neftekhmicheskoy i gazovoy promyshlennosti
im. akademika Gubkina, i Glavnoye geologo-razvedochnoye uprav-
leniye RSFSR.

(Libya--Petroleum geology)

(Libya--Gas, Natural--Geology)

VARENTSOV, M.I.; RYABUKHIN, G.Ye.; KUZNETSOV, A.S.

New oil- and gas-bearing areas in the Algerian section of the Sahara. Geol. nefti i gaza 5 no.7:51-55 J1 '61. (MIRA 14:9)

1. Institut geologii i razrabotki goryuchikh iskopayemykh, Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. akademika Gubkina, Glavnoye geologo-razvedochnoye upravleniye RSFSR.

(Algeria—Petroleum geology)
(Algeria—Gas, Natural—Geology)

VARENTSOV, M.I., otv. red.; MUKHIN, S.S., red. izd-vn; UL'YANOVA, O.G.,
tekhn. red.

[Problems in the tectonics of oil- and gas-bearing areas] Voprosy
tektoniki neftegazonosnykh oblastei. Moskva, Izd-vo Akad. nauk
SSSR, 1962. 254 r. (MIRA 15:12)

1. Chlen-korrespondent Akademii nauk SSSR (for Varentsov).
(Petroleum geology)

VARENTSOV, Mikhail Ivanovich; RYABUKHIN, Georgiy Yevgen'yevich,
doktor geol.-mineral. nauk, prof.; TIKHOMIROV, V.N., red.;
RAKITIN, I.T., tekhn. red.

[Sahara oil] Neft' Sakhary. Moskva, Izd-vo "Znanie," 1962. 51 p.
(Novoe v zhizni, nauke, tekhnike. XII Seriya: Geologiya i geo-
grafiya, no.23) (MIRA 15:12)

1. Chlen-korrespondent Akademii nauk SSSR (for Varentsov).
(Sahara—Petroleum geology)

VARENTSOV, M.I.; RYABUKHIN, G.Ye.; KUZNETSOV, A.S.

West African oil and gas-bearing province. Geol. nefiti i
gaza 6 no.2:54-59 F '62. (MIRA 15:2)

1. Institut geologii i razrabotki goryuchikh iskopayemykh AN
SSSR, Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti
imeni akademika Gubkina i Glavnoye upravleniye geologii i
okhrany neдр pri Sovete Ministrov RSFSR.

(Africa, West—Petroleum geology)

(Africa, West—Gas, Natural—Geology)

VARENTSOV, M.I.; DITMAR, V.I.; SHMAKOVA, Ye.I.

Sary-Su salt domes. Dokl. AN SSSR 151 no.2:396-398 JI '63.
(MIRA 16:7)

1. Institut geologii i razrabotki goryuchikh iskopayemykh.
2. Chlen-korrespondent AN SSSR (for Varentsov).
(Sary-Su Valley--Salt domes)

VARENTSOV, M.I.; LEVENKO, A.I.

Permotriassic of the Turan Plateau. Dokl. AN SSSR 153 no.2:
420-423 N '63. (MIRA 16:12)

1. Institut geologii i razrabotki goryuchikh iskopayemykh.
2. Chlen-korrespondent AN SSSR (for Varentsov).

VARENTSOV, M. I.; DITMAR, V. I.; DOROSHKO, S. M.; KURENKOV, N. T.; LEVENKO, A. I.
RYABUKHIN, G. Ye.

"Tectonics of oil- and gas bearing depressions in Middle and Central Asia
and in adjacent regions of Siberia and the Far East."

report submitted for 22nd Sess, Intl Geological Cong, New Delhi, 14-22 Dec
1964.

SHCHERIK, Yevgeniy Aleksandrovna; VARENTSOV, M.I., otv. red.

[Geology and the gas and oil potentials of western Ciscaucasia] Geologiya i gazonaftenosnost' Zapadnogo Predkavkaz'ia. Moskva, Nauka, 1964. 95 p. (MIRA 17:9)

1. Chlen-korrespondent AN SSSR (for Varentsov).

TEODOROVICH, Georgiy Ivanovich; POKHVISNEVA, Yelena Anatol'yevna;
VARENTSOV, M.I., otv. red.; STOMYAROV, A.G., red.izd-va;
MAKAGONOVA, I.A., tekhn. red.

[Lithology and diagenesis of Jurassic sediments in the north-
western Caucasus] Litologiya i diagenez iurskikh otlozhenii
Severo-Zapadnogo Kavkaza. Moskva, Izd-vo "Nauka," 1964. 103 p.
(MIRA 17:4)

1. Chlen-korrespondent AN SSSR (for Varentsov).

LALIYEV, Aleksandr Grigor'yevich; VARENTSOV, M.I., red.; IONEL',
A.G., ved. red.

[Maikop series in Georgia; stratigraphy, formation conditions, oil and gas potentials] Maikopskaia seriia Gruzii; stratigrafiia, usloviia obrazovaniia, neftegazonostnost'. Pod red. M.I.Varentsova. Moskva, Nedra, 1964. 307 p.
(MIRA 17:6)

1. Chlen-korrespondent AN SSSR (for Varentsov).

VARENTSOV, M.I.; LEVENKO, A.I.

Disjunctive dislocations in the Khiva-Murgab Depression. Dokl. AN SSSR
158 no.5:1085-1089 O 1964. (MIRA 17:10)

1. Institut geologii i razrabotki goryuchikh iskopayemykh. 2. Chlen-
korrespondent AN SSSR (for Varentsov).